American Journal of Physiology:
Renal, Fluid and Electrolyte Physiology

No. 1. JANUARY 1997

## EDITORIAL

What's in a name?
*S. C. Hebert* F1

## INVITED REVIEW

Molecular physiology of urinary concentrating mechanism: regulation of aquaporin water channels by vasopressin
*M. A. Knepper* F3

Amylin stimulates proximal tubular sodium transport and cell proliferation in the rat kidney
*P. J. Harris, M. E. Cooper, S. Hiranyachattada, J. L. Berka, D. J. Kelly, M. Nobes, and P. J. Wookey* F13

Effect of chronic hypokalemia on $H^+$-$K^+$-ATPase expression in rat colon
*J. Codina, T. A. Pressley, and T. D. DuBose, Jr.* F22

Endothelin increases NO-dependent cGMP production in isolated glomeruli but not in mesangial cells
*I. Tack, E. M. Castano, C. Pêcher, F. Praddaude, J. L. Bascands, G. Bompart, J. L. Ader, and J. P. Girolami* F31

Arginine vasopressin interacts with thromboxane in hydronephrosis
*T. Takenaka and H. Forster* F40

Nitric oxide prevents neutrophil-mediated acute renal failure
*S. Linas, D. Whittenburg, and J. E. Repine* F48

Surface exposure of phosphatidylserine increases calcium oxalate crystal attachment to IMCD cells
*M. W. Bigelow, J. H. Wiessner, J. G. Kleinman, and N. S. Mandel* F55

Altered organic anion and osmolyte content and excretion in rat polycystic kidney disease: an NMR study
*M. R. Ogborn, S. Sareen, J. Prychitko, R. Buist, and J. Peeling* F63

Internalization and apical-to-basolateral transport of folate in rat kidney proximal tubule
*H. Birn, S. Nielsen, and E. I. Christensen* F70

Spatial and temporal expression of cell surface molecules during nephrogenesis
*M. R. Goldberg, J. Barasch, A. Shifteh, V. D'Agati, J. A. Oliver, C. Hu, and Q. Al-Awqati* F79

Downregulation of renal atrial natriuretic factor receptors and receptor mRNAs during rat pregnancy
*S. Omer, P. Vaillancourt, K. G. Peri, D. R. Varma, and S. Mulay* F87

Distribution of de novo synthesized betaine in rat kidney: role of renal synthesis on medullary betaine accumulation
*G. W. Moeckel and Y.-H. H. Lien* F94

Kinetics and osmoregulation of $Na^+$- and $Cl^-$-dependent betaine transporter in rat renal medulla
*G. W. Moeckel, L.-W. Lai, W. G. Guder, H. M. Kwon, and Y.-H. H. Lien* F100

Renal alterations of atrial natriuretic peptide receptors by chronic moderate ethanol treatment
*P. Guillaume, T.-V. Dam, C. Gianoulakis, and J. Gutkowska* F107

Gentamicin inhibits rat renal cortical homotypic endosomal fusion: role of megalin
*T. G. Hammond, R. R. Majewski, J. H. Kaysen, F. O. Goda, G. L. Navar, F. Pontillon, and P. J. Verroust* F117

K depletion modifies the properties of Sch-28080-sensitive K-ATPase in rat collecting duct
*B. Buffin-Meyer, M. Younes-Ibrahim, C. Barlet-Bas, L. Cheval, S. Marsy, and A. Doucet* F124

## MODELING IN PHYSIOLOGY

Analysis and modeling of the primary cilium bending response to fluid shear
*E. A. Schwartz, M. L. Leonard, R. Bizios, and S. S. Bowser* F132

## RAPID COMMUNICATIONS

Transforming growth factor-β selectively inhibits branching morphogenesis but not tubulogenesis
*H. Sakurai and S. K. Nigam* F139

Vasopressin constricts outer medullary descending vasa recta isolated from rat kidneys
*M. R. Turner and T. L. Pallone* F147

## No. 2. FEBRUARY 1997

Endothelial cell targeting during renal development: use of monoclonal antibodies
*J. A. Oliver, M. R. Goldberg, and Q. Al-Awqati* F153

Ischemia-induced receptor for activated C kinase (RACK1) expression in rat kidneys
*B. J. Padanilam and M. R. Hammerman* F160

H-K-ATPase activity in PNA-binding intercalated cells of newborn rabbit cortical collecting duct
*A. Constantinescu, R. B. Silver, and L. M. Satlin* F167

Effect of nitric oxide synthase inhibition on renal hemodynamics in humans: reversal by L-arginine
*M. Wolzt, L. Schmetterer, W. Ferber, E. Artner, C. Mensik, H.-G. Eichler, and K. Krejcy* F178

Alteration in water channel AQP-2 by removal of AVP stimulation in collecting duct cells of dehydrated rats
*T. Saito, S. Ishikawa, S. Sasaki, N. Fujita, K. Fushimi, K. Okada, K. Takeuchi, A. Sakamoto, S. Ookawara, T. Kaneko, F. Marumo, and T. Saito* F183

Effect of epinephrine on cAMP accumulation in cultured rat inner medullary collecting duct cells
*G. Yasuda, S. Umemura, and W. B. Jeffries* F192

Expression of AQP family in rat kidneys during development and maturation
*T. Yamamoto, S. Sasaki, K. Fushimi, K. Ishibashi, E. Yaoita, K. Kawasaki, H. Fujinaka, F. Marumo, and I. Kihara* F198

Taurine reabsorption by a carrier interacting with furosemide in short and long Henle's loops of rat nephrons
*S. Silbernagl, K. Völker, H.-J. Lang, and W. H. Dantzler* F205

Expression of a mutant myosin light chain that cannot be phosphorylated increases paracellular permeability
*S. Gandhi, D. D. Lorimer, and P. de Lanerolle* F214

Met −/− kidneys express epithelial cells that chemotax and form tubules in response to EGF receptor ligands
*C. Kjelsberg, H. Sakurai, K. Spokes, C. Birchmeier, I. Drummond, S. Nigam, and L. G. Cantley* F222

Modulation of genetic hypertension by short-term AVP $V_{1A}$ or $V_2$ receptor antagonism in young SHR
*M. Naitoh, L. M. Burrell, J. Risvanis, K. L. Aldred, M. D. Rockell, C. I. Johnston, and P. A. Phillips* F229

Immunolocalization and effect of dehydration on AQP3, a basolateral water channel of kidney collecting ducts
*K. Ishibashi, S. Sasaki, K. Fushimi, T. Yamamoto, M. Kuwahara, and F. Marumo* F235

Nitric oxide regulates $HCO_3^-$ and $Na^+$ transport by a cGMP-mediated mechanism in the kidney proximal tubule
*T. Wang* F242

Mechanisms of amiloride stimulation of $Mg^{2+}$ uptake in immortalized mouse distal convoluted tubule cells
*L.-J. Dai, L. Raymond, P. A. Friedman, and G. A. Quamme* F249

Insulin-like growth factor I preserves renal function postoperatively
*S. C. Franklin, M. Moulton, G. A. Sicard, M. R. Hammerman, and S. B. Miller* F257

Role of prostaglandins and renal nerves in the renal actions of adrenomedullin
*M. Jougasaki, L. L. Aarhus, D. M. Heublein, S. M. Sandberg, and J. C. Burnett, Jr.* F260

Effects of inhibition of *myo*-inositol transport on MDCK cells under hypertonic environment
*H. Kitamura, A. Yamauchi, T. Nakanishi, Y. Takamitsu, T. Sugiura, A. Akagi, T. Moriyama, M. Horio, and E. Imai* F267

## SPECIAL COMMUNICATION

$G\alpha_{i\text{-}2}$ mediates renal LLC-$PK_1$ growth by a Raf-independent activation of p42/p44 MAP kinase
*T. B. Kinane, I. Kang, A. Chu, S. H. Chin, and L. Ercolani* F273

## No. 3. MARCH 1997

Low NO concentrations inhibit osteoclast formation in mouse marrow cultures by cGMP-dependent mechanism
*L. S. Holliday, A. D. Dean, R. H. Lin, J. E. Greenwald, and S. L. Gluck* F283

*N*-acetyl cysteine ameliorates ischemic renal failure
*J. DiMari, J. Megyesi, N. Udvarhelyi, P. Price, R. Davis, and R. Safirstein* F292

Targeting deletion of angiotensin type 1B receptor gene in the mouse
*X. Chen, W. Li, H. Yoshida, S. Tsuchida, H. Nishimura, F. Takemoto, S. Okubo, A. Fogo, T. Matsusaka, and I. Ichikawa* F299

Multiple mitogen-activated protein kinases are regulated by hyperosmolality in mouse IMCD cells
*T. Berl, G. Siriwardana, L. Ao, L. M. Butterfield, and L. E. Heasley* F305

Effect of L-NAME on glomerular filtration rate in deep and superficial layers of rat kidneys
*B. Treeck and K. Aukland* F312

Immunoglobulin light chain alters mesangial cell calcium homeostasis
*L. Zhu, G. A. Herrera, C. R. White, and P. W. Sanders* F319

IGF-I receptor binding, autophosphorylation, and kinase activity in kidney and muscle of acutely uremic rats
*T. Tsao, F. W. Hsu, and R. Rabkin* F325

Human leptin has natriuretic activity in the rat
*E. K. Jackson and P. Li* F333

Renal dopamine $DA_1$ receptor coupling with $G_s$ and $G_{q/11}$ proteins in spontaneously hypertensive rats
*T. Hussain and M. F. Lokhandwala* F339

Heat stress ameliorates ATP depletion-induced sublethal injury in mouse proximal tubule cells
*S. C. Borkan, Y-H. Wang, W. Lieberthal, P. R. Burke, and J. H. Schwartz* F347

Endogenous inhibitor of Na-K-Cl cotransport system in inbred Dahl rats
*M. Alvarez-Guerra, F. Vargas, J. O. Alda, and R. P. Garay* F356

Physiological role of nitric oxide in regulation of renal function in humans
*W. G. Haynes, M. F. Hand, M. E. C. Dockrell, D. W. Eadington, M. R. Lee, Z. Hussein, N. Benjamin, and D. J. Webb* F364

Internephron coupling by conducted vasomotor responses in normotensive and spontaneously hypertensive rats
*A. J. Wagner, N.-H. Holstein-Rathlou, and D. J. Marsh* F372

Reabsorptive and secretory 5-methyltetrahydrofolate transport pathways in cultured human proximal tubule cells
*K. M. Morshed and K. E. McMartin* F380

Chloride is essential for contraction of afferent arterioles after agonists and potassium
*B. L. Jensen, P. Ellekvist, and O. Skøtt* F389

Apical $K^+$ conductance in maturing rabbit principal cell
*L. M. Satlin and L. G. Palmer* F397

Angiotensin I-converting enzyme activity in tubular fluid along the rat nephron
*D. E. Casarini, M. A. Boim, R. C. R. Stella, M. H. Krieger-Azzolini, J. E. Krieger, and N. Schor* F405

Amylin, calcitonin gene-related peptide, and adrenomedullin: effects on thiazide receptor and calcium
*P. Blakely, D. A. Vaughn, and D. D. Fanestil* F410

Branching patterns and autoregulatory responses of juxtamedullary afferent arterioles
*D. Casellas, N. Bouriquet, and L. C. Moore* F416

## No. 4. APRIL 1997

### EDITORIAL COMMENT

Polarity, function, and dysfunction of renal epithelial cells
*D. Brown* F423

### BRIEF REVIEWS

Membrane polarity in epithelial cells: protein sorting and establishment of polarized domains
*M. J. Caplan* F425

Putting the actin cytoskeleton into perspective: pathophysiology of ischemic alterations
*B. A. Molitoris* F430

Epithelial cell polarity and disease
*P. D. Wilson* F434

Adenylate cyclase-coupled vasopressin receptor activates AQP2 promoter via a dual effect on CRE and AP1 elements
*M. Yasui, S. M. Zelenin, G. Celsi, and A. Aperia* F443

Distribution and developmentally regulated expression of murine polycystin
*L. Geng, Y. Segal, A. Pavlova, E. J. G. Barros, C. Löhning, W. Lu, S. K. Nigam, A.-M. Frischauf, S. T. Reeders, and J. Zhou* F451

Localization of cyclooxygenase-1 and -2 in adult and fetal human kidney: implication for renal function
*M. Kömhoff, H.-J. Gröne, T. Klein, H. W. Seyberth, and R. M. Nüsing* F460

Metanephric osteopontin regulates nephrogenesis in vitro
*S. A. Rogers, B. J. Padanilam, K. A. Hruska, C. M. Giachelli, and M. R. Hammerman* F469

Evidence for the distinct nature of $F_2$-isoprostane receptors from those of thromboxane $A_2$
*M. Fukunaga, T. Yura, R. Grygorczyk, and K. F. Badr* F477

Insulin-like growth factor I stimulates apical sodium/hydrogen exchange in human proximal tubule cells
*D. W. Johnson, B. K. Brew, P. Poronnik, D. I. Cook, M. J. Field, A. Z. György, and C. A. Pollock* F484

Intra- and submembrane particle densities during $CO_2$ stimulation of $H^+$ secretion in turtle bladder
*O. F. Kohn, A. R. Hand, P. P. Mitchell, and P. R. Steinmetz* F491

Nitric oxide-induced hyperpolarization stimulates low-conductance $Na^+$ channel of rat CCD
*M. Lu, G. Giebisch, and W. Wang* F498

Facilitated transport in vasa recta: theoretical effects on solute exchange in the medullary microcirculation
*A. Edwards and T. L. Pallone* F505

Angiotensin II responses in $AT_{1A}$ receptor-deficient mice: a role for $AT_{1B}$ receptors in blood pressure regulation
*M. I. Oliverio, C. F. Best, H.-S. Kim, W. J. Arendshorst, O. Smithies, and T. M. Coffman* F515

Receptor-mediated endocytosis of immunoglobulin light chains by renal proximal tubule cells
*V. Batuman and S. Guan* F521

Ultramicrodetermination of vasopressin-regulated urea transporter protein in microdissected renal tubules
*B. K. Kishore, J. Terris, P. Fernández-Llama, and M. A. Knepper* F531

Effect of sympathetic and angiotensin-aldosterone systems on renal salt conservation in the rat
*U. Honrath, A. T. Veress, C. K. Chong, and H. Sonnenberg* F538

Renal resistance to ANF in salt-depleted rats is independent of sympathetic or ANG-aldosterone systems
*A. T. Veress, U. Honrath, C. K. Chong, and H. Sonnenberg* F545

Expression of carbonic anhydrase IV mRNA in rabbit kidney: stimulation by metabolic acidosis
*C. A. Winkler, A. M. Kittelberger, and G. J. Schwartz* F551

## No. 5. MAY 1997

### INVITED REVIEW

Biosynthesis and homeostatic roles of nitric oxide in the normal kidney
*B. C. Kone and C. Baylis* F561

---

Molecular sieving of small solutes by outer medullary descending vasa recta
*T. L. Pallone and M. R. Turner* F579

Evidence that aquaporin-1 mediates NaCl-induced water flux across descending vasa recta
*T. L. Pallone, B. K. Kishore, S. Nielsen, P. Agre, and M. A. Knepper* F587

Agmatine affects glomerular filtration via a nitric oxide synthase-dependent mechanism
*D. Schwartz, O. W. Peterson, M. Mendonca, J. Satriano, M. Lortie, and R. C. Blantz* F597

Polycystin expression is temporally and spatially regulated during renal development
*J. van Adelsberg, S. Chamberlain, and V. D'Agati* F602

Osmolarity in renal medulla of transgenic mice regulates transcription via 5′-flanking region of canine *BGT1* gene
*T. Kaneko, M. Takenaka, M. Okabe, Y. Yoshimura, A. Yamauchi, M. Horio, H. M. Kwon, J. S. Handler, and E. Imai* F610

Differential regulation of CHIF mRNA by potassium intake and aldosterone
*H. Wald, M. M. Popovtzer, and H. Garty* F617

PKC isoforms in rat medullary thick ascending limb: selective activation of the δ-isoform by $PGE_2$
*P. C. Aristimuño and D. W. Good* F624

Apical and basal uptake of L-DOPA and L-5-HTP and their corresponding amines, dopamine and 5-HT, in OK cells
*M. A. Vieira-Coelho and P. Soares-da-Silva* F632

Expression of bcl-2 and bax in regenerating rat renal tubules following ischemic injury
*D. P. Basile, H. Liapis, and M. R. Hammerman* F640

Effect of chronic metabolic acidosis on thyroid hormone homeostasis in humans
*M. Brüngger, H. N. Hulter, and R. Krapf* F648

Segmental localization of urea transporter mRNAs in rat kidney
*C. Shayakul, M. A. Knepper, C. P. Smith, S. R. DiGiovanni, and M. A. Hediger* F654

Expression of the insulin-like growth factor system in the hypokalemic rat kidney
*R. M. Rohan, T. G. Unterman, L. Liu, and M. K. Hise* F661

Albumin endocytosis in OK cells: dependence on actin and microtubules and regulation by protein kinases
*M. Gekle, S. Mildenberger, R. Freudinger, G. Schwerdt, and S. Silbernagl* F668

Localization and induction by dehydration of ClC-K chloride channels in the rat kidney
*A. Vandewalle, F. Cluzeaud, M. Bens, S. Kieferle, K. Steinmeyer, and T. J. Jentsch* F678

**ANNOUNCEMENTS** F689

## No. 6. JUNE 1997

Microlocalization and effects of adrenomedullin in nephron segments and in mesangial cells of the rat
*A. Owada, H. Nonoguchi, Y. Terada, F. Marumo, and K. Tomita* F691

Insulin-like growth factor I increases renal $1,25(OH)_2D_3$ biosynthesis during low-P diet in adult rats
*M.-S. Wong, S. Sriussadaporn, V. A. Tembe, and M. J. Favus* F698

UTP and ATP induce different membrane voltage responses in rat mesangial cells
*M. Huber-Lang, K.-G. Fischer, J. Gloy, P. Schollmeyer, A. Krämer-Guth, R. Greger, and H. Pavenstädt* F704

Molecular and functional identification of β-adrenergic receptors in distal convoluted tubule cells
*F. A. Gesek and K. E. White* F712

Hydrogen peroxide downregulates IL-1-driven mesangial iNOS activity: implications for glomerulonephritis
*E. A. Jaimes, K. A. Nath, and L. Raij* F721

Disassociation of oxidant-induced ATP depletion and DNA damage from early cytotoxicity in LLC-$PK_1$ cells
*S. P. Andreoli and C. P. Mallett* F729

Potassium depletion and acid-base transporters in rat kidney: differential effect of hypophysectomy
*Z. Wang, N. Baird, H. Shumaker, and M. Soleimani* F736

Effect of hypokalemia on the abundance of $HK\alpha_1$ and $HK\alpha_2$ protein in the rat kidney
*J. A. Kraut, J. Hiura, M. Besancon, A. Smolka, G. Sachs, and D. Scott* F744

Expression of PTHrP, PTH/PTHrP receptor, and $Ca^{2+}$-sensing receptor mRNAs along the rat nephron
*T. Yang, S. Hassan, Y. G. Huang, A. M. Smart, J. P. Briggs, and J. B. Schnermann* F751

Acid-base changes alter $Mg^{2+}$ uptake in mouse distal convoluted tubule cells
*L.-J. Dai, P. A. Friedman, and G. A. Quamme* F759

Endothelial cells protect vascular smooth muscle cells from $H_2O_2$ attack
*S. L. Linas and J. E. Repine* F767

Decreased potassium stimulates bone resorption
*D. A. Bushinsky, D. R. Riordon, J. S. Chan, and N. S. Krieger* F774

Parathyroid hormone inhibits $Na^+$-$K^+$-ATPase through $G_q/G_{11}$ and the calcium-independent phospholipase $A_2$
*B. H. Derrickson and L. J. Mandel* F781

Antioxidant expression in experimental hydronephrosis: role of mechanical stretch and growth factors
*S. D. Ricardo, G. Ding, M. Eufemio, and J. R. Diamond* F789

ANG II-dependent $HCO_3^-$ reabsorption in surviving rat distal tubules: expression/activation of $H^+$-ATPase
*D. Z. Levine, M. Iacovitti, S. Buckman, M. T. Hincke, B. Luck, and J. N. Fryer* F799

Chronic hypoxia induces LLC-$PK_1$ cell proliferation and dedifferentiation by the activation of protein kinase C
*A. Sahai, C. Mei, A. Zavosh, and R. L. Tannen* F809

## RAPID COMMUNICATION

Protein kinase A phosphorylation is involved in regulated exocytosis of aquaporin-2 in transfected LLC-$PK_1$ cells
*T. Katsura, C. E. Gustafson, D. A. Ausiello, and D. Brown* F816

*Subject Index to Volume 41* F823
*Author Index to Volume 41* F831